



A full aluminium body is more rigid and durable than a conventional graphite one. Graphite may be lighter and cheaper, but is known to to flex under higher drag settings caused by pressure when fighting big fish. This affects alignment and leads to wear and tear of the gear.

Aluminum is a top quality material that is popular for being highly anti-corrosive, having solid strength and its high durability. Team Seahawk aluminium body reels are precision-machined to high tolerances for greater performance. With an aluminium body, you can fight bigger fish without worrying about issues caused by flex. Without flex, you get better alignment, smoother gear, and overall a longer lasting reel



Aircraft-grade aluminium alloy (6061-T6) that is stronger yet lighter than steel, highly versatile and corrosion resistant. Team Seahawk's T6 Duralumin is specially engineered and heat-treated to reach much higher levels of strength and durability. A duralumin frame keeps reels light without sacrificing strength and maintains gear alignment even under heavy loads for a lasting smooth performance.



New generation drag washers made from high quality carbon fibre drag material known for its astounding stopping power, exceptional smoothness and high heat tolerance. These are inter-stacked and complimented with quality metal washers that work together to evenly distribute friction to optimize consistency throughout reel performance.



The SlimTech Body Frame feature creates a thinner and more streamlined reel profile to achieve a more natural and comfortable fit in the palm. This results in a lighter reel that offers anglers better overall cast control.



The XLG Mark-2 is an upgraded version of the original XLG System. It further incorporates a V-Shape Ceramic Line Guide. This ultra-smooth and friction-free ceramic line guide tapers into a V shape at the end, reducing the size of the line exit point of the line guide. This results in a more concentrated line focal point which produces a more targeted and focused cast for exceptional casting accuracy.

This in turn boosts casting accuracy to achieve the ul timate casting experience.







The latest technology in casting, Hyper Speed reels come in a ratio of 8.0:1 or higher (e.g. Team Seahawk's Blitzkrieg with 9.3:1). The high ratio increases line retrieve with each turn of the handle during cranking, making it perfect for techniques involving fast-retrieve of artificial lures such as top-water lures.



An advanced brake system that additionally slows down the turning spool after casting to allow for more control, longer casts and to prevent line twists.



The Dual Drag System introduces a secondary drag system to compliment the main drag. Compared to singular drag reels, our reels featuring the DDS combine the best of both worlds—a Magnetic Drag and a Centrifugal Drag. With this system, anglers can choose between using only one drag or engaging both drags. This secondary drag—a drag set with a very light setting that creates a "controlled free spool"—applies just enough tension to keep the reel from unspooling too quickly into a tangled mess but light enough to allow the fish to run with the bait without feeling spooked. This additional time allows the fish a higher chance of properly getting the bait into its mouth, creating a more solid hook-up.



REEL I OVERHEAD

# Mushaz

ENGINEERED BY CHIMUSHIHOKU

The Musha jigging reel is developed with the serious angler in mind. It is engineered using superior heavy-duty 17-4 grade stainless steel spool shaft and fully machined strong one-piece aluminum frame. This ensures that moving parts are kept in solid alignment while also maintaining rigid control under heavy loading while fighting big fish. Its exquisite quality anti-corrosion ball bearings and helical cut gear delivers smooth topnotch performance from the minute the line is cast, during rigorous fighting and until retrieve. All-in-all, this is a serious premium reel for the serious

#### Features:

- · 9 + 1 stainless steel ball bearing.
- · Topless frame design.
- . Heavy duty 17-4 grade stainless steel spool shaft.
- · Anti-corrosion stainless steel ball bearings.
- rounded performance even when wet
- · Sharp clicking sound of drag alarm



MUSHA	MUSHA BAITCASTING REEL									
Model	Ball Bearing	Gear Ratio	Line Retrieve Per Crank (cm)	Line Capacity (PE-m)	Wt (g)	Max Drag (kg)				
20SHL	9+1	6.3:1	96	2-550, 3-400, 4-320	492	23				



strong, rigid, one-piece fully machine frame crafted using heavy-duty 17-4 grade aluminum encases moving parts to maintain precise alignment and stays rigid under heavy pressure during wild fights with big fish.



The surface of the drag is specially coated with a formula that prevents water absorbtion



and contamination. The design of the drag is crafted to ensure proper heat displacement and maintain a steady friction to deliver a wide and smooth operation throughout all settings.

## Premium quality NMB stainless steel

oall bearings prevent corrosion and maintain a smooth operation during release and retrieve of the line.

specially designed 115mm stainless steel handle made to provide a comfortable grip for better cranking power during powerful fights with big fish.

#### DRAG LEVER

A counter clockwise turn of the knob increases drag pressure, and clockwise for less pressure. This drag is designed to be

easy to use while offering constant and reliable settings ranging from FREE (no pressure), to FIGHT (when a strike occurs) to FULL (extra drag pressure).

High modulus, heat-forged, heavy duty stainless steel gears ensure excellent strength, smoothness and superior dura-



#### EVA POWER KNOG

A large high density EVA ball-shaped handle knob offers added comfort with a firm grip and ultimate handle control; an essential for wet environments and when the fishing gets



Crafted using the latest method in cold-forging technology, the super strong spool & sideplates have no problems facing line pressure during heavy-handed vicious fights.



### BARRICADE SW Large Capacity Low Profile Baitcasting Reel

Team Seahawk Barricade SW saltwater large capacity low profile baitcasting reel series is a high-performance reel in a lightweight package. This techpacked baitcaster promises performance on par with global brands of similar class level that far outweighs its affordable price point.

#### Features:

- · Heavy Duty Brass Drive Gear
- · Precision Machine Cut Brass Pinion Gear
- · CRT: Corrosion-Resistant Treatment
- · Double Anodized Ultra Deep Spool
- · Multi-Disc High Output Carbon Drag System
- . Micro-Click Drag Star for Precise Drag Setting
- 6HPB+1RB Corrosion Resistant Stainless Steel Bearings
- · Dual Anti-Reverse for Maximum Reliability
- · Quick-Set Anti-Reverse Roller Bearing
- · 6-Pin Thrust Control Casting System
- · Ceramic Line Guide Inserts for Use with Braided Line
- On/Off Clicker for Trolling, Chunking or Bait Fishing
- · Synchronized Level Winding
- · Adjustable Jigging Handle 70mm/90mm



MULTI-DISC HIGH OUTPUT CARBON DRAG SYSTEM



6-PIN THRUST CONTROL CASTING SYSTEM



7 STAINLESS STEEL BALL BEARING







JAPAN TECHNOLOGY



BARRICAL	DE SW BAI	TCASTIN	G REEL		_	_
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-yds / Ibs-yds)	Line Retrieve Per Crank (cm)	Weight (g)	Max Drag (kg)
305HSL	7	7.2:1	0.33-255, 0.37-210, 0.42-155	81.7	302	15
305HSR	7	7.2:1	0.33-255, 0.37-210, 0.42-155	81.7	302	15





Unleashing the latest in technology, the XEON baitcaster incorporates Japanese Reinforced Hamai Micro Gear System that creates notably premium high-precision gears to offer astoundingly smooth continuous gear meshing for maximum fluidity and extended durability. In designing this superior caster, we combined the technology of XLG MKII (Extended Line Guide) — a system that increases the distance of the line guide exit with the spool to achieve a more natural line angle from spool to line guide for excellent smoothness — with a ceramic V-shape line guide that minimizes casting focal point for exceptional casting accuracy. What's more, we trimmed the reel profile using SLIMTECH technology for a better and more comfortable fit in the palm to achieve unparalleled cast control. With the XEON baitcaster, anglers can be confident they'll achieve a better fishing experience with first-rate control in the wild chaotic world of fishing.



XEON IO3H5L



- · Gear Ratio 7.2:1 high speed
- · Magnetic Cast Control
- · Japan Technology Hamai Micro Gear System
- · XLG MKII (Extended Line Guide) system for further
- · Ceramic v-shape line guide for exceptional casting accuracy
- · Low Noise spool design
- · Premium rubber soft knob for a firm comfortable grip
- · Supported Pinion Gear for extra smooth and stable spool spin
- · Tournament Drag System
- · Infinite One Way Clutch
- · SlimTech reel profile for superior cast control
- · Audible tension knob click function

SONOTO DE LA PRESENTA COMPANY		<b>XEON BAIT</b>	CASTING RE	1		_	_
SLIM TECH	INFINITE ONE WAY CUTCH BEARING	Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m)	Wt (g)	M
		103HSI	5 + 1	7 2 1	0.26-120, 0.29-100, 0.31-80	195	




























A new instinctive gear has been crafted for anglers - the INSTINCT.

With an ultra high speed of 8.1:1, make light work of teasing and reeling in mighty fighters of the deep. Take full control of your casts using the Korean tech, DDS Dual Drag System; featuring a Magnetic drag and a Centrifugal drag. What's more, we streamlined the levelwind using XLG eXtended Line Guide System and combined it with ultra wear-resistance gear. This enables an exceptionally smooth cast that casts 20% further with boosted accuracy, and a reel that stands up to the wear and tear of battle - an ultimate caster especially for longcast lovers

#### Features:

- · Ultra hyper speed 8.1:1
- · Multi disc carbon drag
- · Infinite anti-reverse
- · Magnetic force brake system
- · Ultra wear-resisting line guide
- · Rubber knob
















7,422,000		EL	44.7	Taraba C	
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-yds)	(g)	Max Drag (kg)
INST 103HSL	5+1	8.1:1	0.26-200, 0.28-160, 0.30-120	203	8










XLG SYSTEM



Blitzkrieg ALX 93 XHSL



Blitzkrieg - Team Seahawk's latest machine is an Xtra Hyper Speed (XHSL) low profile casting reel made after the brand's fishing rod of the same name. The name 'Blitzkrieg' is inspired from a German term meaning 'lightning war' - an intense military tactic intended to bring about a swiff

The Bliztrieg is the first casting reel of its kind to boast an ultra hyper retrieve ratio of 9.3:1. It is excellent for flippin' and pitchin' top water performers such as buzzbaits and crankbaits; a perfect match for anglers who're seeking for the thrill of teasing and ensnaring Toman (Snakehead), Black Bass and even Giant Trevally using poppers and pencils.

The stylish matt-black and gold-rimmed compact gem is machined with high-quality factory sealed 10+1 stainless steel ball bearings that ensure the machine churns smoothly and cranks easily. The reel's infinite anti-reverse, one-way clutch bearing and power drive gear provide anglers with

On top of that, an ultra wear-resistant level wind (line guide) and remote-torque carbon drag system that dishes out 6kg of max drag pressure team up to deliver a smooth and uninterrupted retrieve. Anglers can put their minds at ease even whilst engaging hard-running fish with the added leverage from the reel's 100mm swept handle with custom EVA knob.

Designed to fight, the Team Seahawk Blitzkrieg is a mean machine loaded

#### Features:

- . 10 + 1 stainless steel ball bearing
- . Ultra hyper speed 9.3:1
- · Remote-torque carbon drag system
- · Hi-speed ball bearing and SUS ball bearing
- · Infinite anti-reverse
- · Magnetic force brake system
- · Ultra wear-resisting line guide
- · EVA handle knob













Model	Ball Bearing	Gear	Line Cap	Weight	Max Drag	Type of Knob	
		Ratio	(mm-yds / l	ios-yos)	(9)	(kg)	KNOD
9.3 XHSL	10 + 1	9.3	0.29-150, 0.32-130	12-160, 14-140	238	6	Aluminium

12 2021 Catalogue | www.seahawkfishing.com



#### Features :

- · 4 + 1 stainless steel ball bearing
- · Ultra-Strong Machined Brass Drive Gear & High-Tensile Brass Pinion Gear.
- · Power Drag System 6000T Washer
- Infinite Anti-Reverse Needle Bearing + 4 Japanese Stainless Ball Bearings
- · High Speed 7.0:1 Gear Ratio
- . 5 Magnetic Anti-Backlash Control System
- · Swept Handle for Less Wobble







BASS LTD BAITCASTING REEL									
Model	Ball Gear Bearing Ratio		Line Capacity (mm / yards)	Weight (g)	Max Drag (kg)				
LTD 103L	4+1	7.0:1	0.26/200, 0.28/160, 0.30/120	220	9				













REEL | BAITCASTING





## ALUMINIUM

for the ultimate casting experience.

A full aluminium body is more rigid and durable than a conventional graphite one. Graphite may be lighter and cheaper, but is known to to flex under higher drag settings caused by pressure when fighting big fish. This affects alignment and leads to wear and tear of the gear.

Aluminum is a top quality material that is popular for being highly anti-corrosive, having solid strength and its high durability. Team Seahawk aluminium body reels are precision-machined to high tolerances for greater performance. With an aluminium body, you can fight bigger fish without worrying about issues caused by flex. Without flex, you get better alignment, smoother gear, and overall a longer lasting reel



Military grade carbon fiber drag material provides consistency and optimises performance with amazing stop-


ping power, exceptional smoothness and high heat tol-erance. Produces up to 18kg (40lb) drag pressure on tough/game fish.



longer lifespan.

Compared to conventional drag systems using felt washers, Team Seahawk reels incorporate carefully developed Hybrid-Felt washers.

These washers—when compared to normal felt washers—are enforced with an additional alloy to further withstand increased drag and improve heat distribution caused by friction. This prolongs the shelf life of the washers, even while constantly fighting bigger and







The TRU-Smooth system incorporates the latest in Japan fishing technology that creates an ultra-smooth spool spin for the ultimate experience in casting.

### DURA AIR ROTOR

The Dura Air Rotor technology focuses on maximising air rotor durability compared to standard air rotors. Its unique shape is designed to distribute pressure evenly throughout the rotor to create balance in line lay, increase smoothness, and prolong endurance.



The bail arm on our reel is ergonomically engineered for maximum strength and rigidity. Its shape is specially designed through careful research to enable a more natural and smoother transition between line and line roller during spinning to minimize tangling or line breakage.



### HIGH DENSITY **EVA** KNOB

Ergonomically designed to avoid fatigue of the hand and improve the grip even in wet conditions.



Usually involving speeds of 6.0:1 to 7.0:1 or higher (above 5.0:1 for spinning reels) and allows anglers to keep up with fast-moving fish that causes slack in line.



Also known as the Infinite Anti-Reverse, the clutch bearing essentially locks up if rotation is in the wrong direction. This mechanism

prevents the handle shaft from rotating backwards and causing tangles in the line. This way, anglers have complete control such as during stop-and-go retrieve.



The C-Loop Propelling System incorporates professional engineering that creates an angular slant at the outer edge of the spool to minimize line friction and maximise fluidity of projection for a notably smooth and steady cast.

### ALUMINIUM XCARBON

Usually, a common dilemma is choosing between the high price of a full aluminum body that is lightweight, and a cheaper and durable yet heavier graphite body. By combining aluminum and carbon, we are able to offer the best of both worlds—the lightness of carbon and the endurance of aluminum-with an affordable price tag.



Ball bearings reduce rotational friction to offer a smooth performance. Stainless steel ball bearings are treated to reduce moisture. This minimizes corrosion and increases durability. Team Seahawk reels come with quality assured, corrosion-resistant stainless steel ball bearings to maintain exceptional smoothness and maximise endurance.

### LIGHT WEIGHT

Carefully-selected lightweight materials for ease of use, portability and reduced fatigue during prolonged fights with fish.

REEL | SPINNING REEL I SPINNING

## BLAST GOLD 5

EXQUISITE EXCELLENCE, STELLAR PERFORMANCE

Blast Gold series sets a new gold standard in affordable saltwater fishing reels. This high-performance reel incorporates advanced Japanese technology and design concepts, and is loaded with premium features usually reserved for higher-end saltwater reels; at a price far less than expected.

The main highlight of this reel is an all-metal body that keeps the reel sturdy and maintains gear alignment under heavy loads. A full metal rotor further increases toughness and strength. In addition, the Blast Gold sports Seahawk's 360 Saltwater Protection; a system consisting of high quality components developed specifically to protect against corrosive saltwater elements for a longer lifespan-corrosion-resistant stainless steel power drive gear, main shaft, instant anti-reverse and 9 silky-smooth double-sealed stainless steel bearings for a substantially smooth crank. What's more, it's also powerfully equipped to put up to 18kg (40lb) of pressure on tough game fish, so you can focus on fighting without worry.

If you're a saltwater fanatic serious about landing big fish, the Blast Gold series is a top choice for one of the smoothest, strongest pieces of machinery you can find in the market today, at a price that can't be beat!

#### Feature:

- 9+1 Double Sealed Stainless Steel Ball Bearing
- · Stainless Steel Power Drive Gear & Main Shaft
- · Full Dura-Metal Body and Stainless Steel Rotor
- · Stainless Steel Infinite One Way Clutch Anti-Reverse Double Anodized High Precision CNC Aluminum Spool
- · Dual Propulsion Anti-Twist Line Roller
- · Saltwater 360 Protection
- . CDS Carbon Drag System
- 18kg (40lb) Max Drag















Model	Ball Bearing	Gear Ratio	Line Cap (mm /	Weight (g)	Max Drag (kg)	
BG SW2000	9 + 1 SSBB	5.2:1	0.21-240, 0.24-200	6-260, 8-220	282	16
BG SW3000	9 + 1 SSBB	5.2:1	0.26-290, 0.29-260	12-290, 16-230	291	16
BG SW4000	9 + 1 SSBB	5.2:1	0.24-240, 0.26-200	8-260, 10-220	339	18
BG SW5000	9 + 1 SSBB	5.2:1	0.29-290, 0.31-250	12-320, 16-250	351	18

BLAST GOLD	SW HIGH SPE	D SPIN	NING REEL		_	_
Model	Ball Bearing	Gear Ratio	Line Cap (mm/		Weight (g)	Max Dra (kg)
BG SW4000H	9 + 1 SSBB	6.2:1	0.29-290, 0.31-250	12-320, 16-250	339	18
BG SW5000H	9 + 1 SSBB	6.2:1	0.26-290, 0.29-260	12-290, 16-230	351	18















18 2021 Catalogue | www.seahawkfishing.com





#### FINESSE AND VIRTUOSITY

The Ronin is all about bringing your long-cast experience to the next level. The reel is feature Team Seahawk's Tru-Smooth System- additional bearings on the shaft for a quicker, smoother spool rotation that maximises casting distance—and C-Loop Propelling System; a reduced angle on the spool lip for less line friction for extra smoothness. Both these features combine to create an effortless cast that covers an amazing distance. All that silky-smooth operation is protected by a solid zero flex Tough-Bodyz frame for a perfectly consistent alignment. Reach further and cast faster with this winner in your palm.

#### Features:

- · Stainless Steel Main Shaft
- · Smooth Gear
- · Screw-On Aluminium Handle
- · Tournament Drag System
- Tough-Bodyz



TOUGH-BODYZ













SPINNIN	G REEL	\$			
Ball Bearing	Gear Ratio		Wt (g)	Max Drag (kg)	
9+1	5.2:1	4-215, 6-170, 8-115	0.20-200, 0.23-155, 0.25-130	231	6
9+1	5.2:1	4-280, 6-220, 8-150	0.20-250, 0.23-190, 0.25-160	236	6
9+1	5.2:1	6-130, 8-120, 10-180	0.25-250, 0.30-175, 0.35-130	281	8
9+1	5.2:1	6-420, 8-285, 10-240	0.25-320, 0.30-225, 0.35-165	285	8
	Ball Bearing 9 + 1 9 + 1 9 + 1	Ball Bearing         Gear Ratio           9 + 1         5.2:1           9 + 1         5.2:1           9 + 1         5.2:1	Bearing         Ratio         (lbs           9 + 1         5.2:1         4-215, 6-170, 8-115           9 + 1         5.2:1         4-280, 6-220, 8-150           9 + 1         5.2:1         6-130, 8-120, 10-180	Ball Bearing         Gear Ratio         Line Capacity (lbs-yds / mm-m)           9 + 1         5.2:1         4-215, 6-170, 8-115         0.20-200, 0.23-155, 0.25-130           9 + 1         5.2:1         4-280, 6-220, 8-150         0.20-250, 0.23-190, 0.25-160           9 + 1         5.2:1         6-130, 8-120, 10-180         0.25-250, 0.30-175, 0.35-130	Ball Bearing         Gear Ratio         Line Capacity (lbs-yds / mm-m)         WI (g)           9 + 1         5.2:1         4-215, 6-170, 8-115         0.20-200, 0.23-155, 0.25-130         231           9 + 1         5.2:1         4-280, 6-220, 8-150         0.20-250, 0.23-190, 0.25-160         236           9 + 1         5.2:1         6-130, 8-120, 10-180         0.25-250, 0.30-175, 0.35-130         281

Model	Ball Bearing	Gear Ratio				Max Drag (kg)
3000H 9 + 1 6.2:1		6.2:1	6-130, 8-120, 10-180	0.25-250, 0.30-175, 0.35-130	281	8
4000H	9+1	6.2:1	6-420, 8-285, 10-240	0.25-320, 0.30-225, 0.35-165	285	8





Screw-On Handle



#### Features:

- . Lightweight CNC Machined Aluminium Spool
- . 9 Ball Bearings & Infinite One Way Clutch Bearing
- · Powerful Ratation
- · High-Speed
- · Super Smooth Gear
- · Carbon Drag System
- . Screw-On Aluminium Handle





HIGH DENSITY **EVA** KNOB






JAPAN TECHNOLOGY




























ACTION - Rod action refers to the flexing charateristic of a rod and is a measure of how much the rod flexes, and just as importantly, where that flex occurs along the length of the shaft. "Extra Fast" actions concentrate more on the flex towards the tip. "Slow" actions distribute the flex progressively throughout the entire blank. "Moderate" action rods fall in between the two actions.

POWER - The "Power" of a rod refers to how much pressure / force it takes to make it bend. Different rod powers are designed to handle a certain range of lure weights and line sizes. The heavier the line and lure, the more power you'll need to cast, fight and pull effectively. The lighter the line and lure, the less power you'll need.



Stands for High Modulus Carbon Construction 30Ton. Specially constructed by Team Seahawk using high strength carbon fiber material to achieve an ultra-light, highly responsive and durable blank. Provides excellent performance with tremendous backbone and lifting power. Perfect for advanced anglers looking for a high performance rod.

NOTE: Requires proper storage and care as blanks are powerful but brittle.



Team Seahawk's Slim Tech utilises an exclusive technology to achieve a slimmer blank profile with higher strength and durability, yet lighter than conventional





The latest in nano-lite technology from Japan—finesse at its finest—used solely for our light jigging rod range which requires a strong backbone, powerful performance and immense lifting power.



Team Seahawk's customised High Modulus Solid Carbon construction results in a blank that's super light and responsive. Its even weight distribution creates a high-strain rod that's super parabolic and nearly indestructible - even if fully bent all the way. Offers great value and performance with increased casting efficiency and accuracy. Ideal for targeting large fish when lifting power is not a concern.

#### HIGH MODULUS IM7 ROD BLANK CONSTRUCTION

New and improved from its predecessor—the IM6 the IM7 is a more lightweight, fast-dampening rod blank designed for maximum casting distance. This blank is formulated for rods with moderate to fast actions and where ultra-sensitivity is vital. Perfect for both floating and sinking lines and crafted with a strong backbone for big fish.

#### HIGH DENSITY **EVA** KNOB

Ergonomically designed knob grips to avoid fatigue of the hand and to improve the grip even in wet conditions.





The name FUJI needs no introduction. This Japanese brand set the global standard for high quality, high performance rod guides and is the leading rod guide manufacturer in the world. After nearly 5 years of testing and design, FUJI debuted its new K-series guides.

These guides are ingeniously designed for tangle-free fishing (whether braided, mono or fluorocarbon lines) and made of titanium for the ultimate in corrosion resistance, light weight and durability—Team Seahawk rods consist of the highest quality of guides in the FUJI range such as FUJI Alconite, Torzite, and SiC for maximum performance and consistency with tangle-free casting.



The X-Wrap Construction is a technologically advanced method that consists of inter-wrapping one layer of super high-density carbon ribbon inside the blank with another layer on the outside. This innovative method results in a surprisingly powerful cast using minimal effort.



When you need to haul in the big ones, you bring in the big guns-enter KINGDOM XTREME heavy game jigging rod series! With its max drag up to a hefty 27kg, this rod means business, BIG business. High quality HMSC blank construction lined with renowned Japanese FUJI K-guides means you get greater lightness for longer fights, plus higher sensitivity and a reliably smooth casting performance. Made using superior components, this rod is made not only to fight and thrash colossal fish and other titans of the sea, it's also made to last 'til kingdom come. Get ready for the thrill of the salty seas!

KINGDOM XTREME SPINNING ROD										
Model	Length	Line	Jig Wt (g)	Guide	Max Drag (kg)	Action	Section			
KDX 631MS	6'3"	PE 1 - 3	200	7 + 1	23	Medium	_1			
KDX 631MHS	6'3"	PE 2 - 4	250	7 + 1	25	Medium Heavy	- 1			
KDX 631HS	6'3"	PE 3 - 6	300	7 + 1	27	Heavy	1			

KINGDOM XTREME CASTING ROD										
Model	Length	Line	Jig Wt (g)	Guide	Max Drag (kg)	Action	Section			
KDX 631MB	6'3"	PE 1 - 3	200	8 + 1	23	Medium	1			
KDX 631MHB	6'3"	PE 2 - 4	250	8 + 1	25	Medium Heavy	1			
KDX 631HB	6'3"	PE 3 - 6	300	8 + 1	27	Heavy	1			






















VSS Reel Seat (Spinning)

MONTROUS MTS 632MS



Team Seahawk's Monstrous is a heavy-duty jigging rod with impressive backbone power that's light and comfortable enough for all-day jigging. With its high-quality HMSC construction, you get greater sensitivity and lightness compared to conventional fiberglass or composite rods. Its butt joint design makes this rod as sensitive and reliable as a one-piece and as easy to carry around and travel with as a two-piece. Additionally, this rod comes fitted with top-notch K-guides to ensure reduced line resistance for a remarkably smooth performance. When it comes to picking an affordable rod with superior balance, comfort and strength that's powerful enough to battle large predators of the deep, Monstrous is your best bet. What's more, with its high-quality components, you can expect this rod to last a long time.

#### Features:

- · Designed for heavy duty jigging
- High quality HMSC (High Modulus Solid Carbon) construction increases rod sensitivity
- · Lightweight blank for all-day jigging comfort
- Fuji K-Guides reduces line friction for a smooth performance
- · High Density EVA for a firm yet comfortable grip
- · Butt joint
- · Max drag up to 15kg







SPINNIN	G ROD (BUTI	(JOINT)	_	_	_	_
Length	Line	Jig Wt (g)	Guide	Max Drag (kg)	Action	Section
6'3"	PE 0.8 - 1.5	120	7+1	9	Medium Fast	2 (Butt Joint)
6'3"	PE 1 - 3	200	7+1	11	Medium Fast	2 (Butt Joint)
6'3"	PE 2 - 4	250	7+1	13	Medium Fast	2 (Butt Joint)
6'3"	PE 3 - 6	300	7+1	15	Medium Fast	2 (Butt Joint)
	Length 6'3" 6'3" 6'3"	Length         Line           6'3"         PE 0.8 - 1.5           6'3"         PE 1 - 3           6'3"         PE 2 - 4	6'3" PE 0.8 - 1.5 120 6'3" PE 1 - 3 200 6'3" PE 2 - 4 250	Length         Line         Jig Wt (g)         Guide           6°3"         PE 0.8 - 1.5         120         7 + 1           6'3"         PE 1 - 3         200         7 + 1           6'3"         PE 2 - 4         250         7 + 1	Length         Line         Jig Wt (g)         Guide         Max Drag (kg)           6'3"         PE 0.8 - 1.5         120         7 + 1         9           6'3"         PE 1 - 3         200         7 + 1         11           6'3"         PE 2 - 4         250         7 + 1         13	Length         Line         Jig Wt (g)         Guide         Max Drag (kg)         Action           6'3"         PE 0.8 - 1.5         120         7 + 1         9         Medium Fast           6'3"         PE 1 - 3         200         7 + 1         11         Medium Fast           6'3"         PE 2 - 4         250         7 + 1         13         Medium Fast











High Density EVA Handle



EXPLORER 602-ULS

**EXPLORER 632-ULB** 



The Ultralight Explorer is a well-built rod constructed out of super lightweight carbon fibre.

Compared to average ultralight rods that bend easily but lack backbone power, the Ultralight Explorer is engineered to offer the best of both worlds-sensitivity and flexibility. Sought-after features such as fast action, an incredibly flexible tip and a powerful backbone are

ULTRA-LIGHT

Explorer has got you covered.

combined to offer you a super lightweight rod that is responsive to

the lightest bite while maintaining enough backbone to handle any

sudden surprise from species such as Tarpon, Peacock bass, Carp,

Barramundi, etc. Have your fights with ease, 'cause the Ultralight



幻影ロッドは非常に弾力性のある、高炭素材料で作られ、それは安定 した品質と軽量ロッドの設計とコンポーネントでそのような繊細な、 ヘビーデューティーの制作を構築するために職人の技がかかる。















Model	Length	Line Wt. (lb)	Guide	Action	Section
632-ULB	6'3"	2-6	9+1	Litra Light	2




Premium Quality Reel Seat





High Density EVA

32 2021 Catalogue I. www.seahawkfishing.com 2021 Catalogue | www.seatawkfishing.com 33





UJION SPINNIN	e Rods	_	_	_	_
Model	Length	Line Wt. (PE)	Lure Wt (g)	Action	Section
SFO 562MHS	5'6"	8 - 17	7 - 21	Medium Heavy	2
SF0 602HS	6'0"	8 - 17	7 - 21	Heavy	2
SF0 662HS	6'6"	10 - 25	7 - 21	Heavy	2
SF0 702HS	7'0"	10 - 25	7 - 21	Heavy	2

	TING RODS				
Model	Length	Line Wt. (PE)	Lure Wt (g)	Action	Section
SEO 602HB	6'0"	8 - 17	7 - 21	Heavy	2

The Fujion rod series come in both spinning and baitcasting rods with advanced technological performance, improvements and enhancements of innovation.







FUJION SFO 602HB

















ENGINEERED BY CHIMUSHIHOKU



IMPALE TR IMP-S655M-TR

IMPALE TR SPINNI	IG ROD					
Model	Length	Lure Wt (g)	Line Wt. (lb)	Guide	Section	
IMP-S655L-TR	6'5"	10 - 30	3 - 10	7 + 1	5	
IMP-S655M-TR	6'5"	15 - 40	6 - 16	7 + 1	5	







made for ultralight anglers On-the-Go. It packs into a compact 19" case for convenience and is easily assembled to quickly pop into action at your favorite fishy hotspots.

your fishing destination, the Impale TR travel rod will simplify your journey and maximise your fishing enjoyment.

IMPALETR MANAGEMENT



#### Features:

- · FUJI Reel Seat
- 7+1 K-Guide Concept Guides
- · Extremely Lightweight
- · Travel Rod Case Included
- · High-Modulus Carbon Graphite Blank for Increased Sensitivity
- · Available in Both Casting & Spinning Options







IMPALE TR CASTING	i NUU				
Model	Length	Lure Wt (g)	Line Wt. (lb)	Guide	Section
IMP-C655L-TR	6'5"	10 - 30	3 - 10	8 + 1	5
IMP-C655M-TR	6'5"	15 - 40	6 - 16	8 + 1	5





2021 Catalogue | www.seahawkfishing.com 37











#### Feature:

- · Heavy duty strong back bone
- Super fast / sensitive tip action
- High-Modulus Carbon Graphite (HMCG) blank
- · Heavy duty Fuji popping specifically ring guides
- · Deceptive lifting / fighting power

Butt join



First Big Game Fishin



GT SPECIAL II 80/65

SPECIAL 2	POPPING ROD				
Model	Max Drag (kg)	Line Wt. (PE)	Lure Max (g)	Action	Section
76 / 65	8	6	150	Heavy	2
80 / 65	8	6	150	Heavy	2
86 / 65	10	8	150	Heavy	2





With the Tournament Crew Surf rod, your days of travelling with a bulky and heavy rod are over. Considered one of the lightest and slimmest rodsthanks to its SLIMTECH construction—the Crew Surf achieves a diameter of only 1.5cm at the butt end. For even MORE convenience, we designed this rod with premium foldable rings to fit most rod bags!

This rod is customised specifically for medium-heavy game with a line poundage of 20-50lb and a High Modulus Graphite blank for increased response and sensitivity to the smallest fish bite. Durable, transport-friendly and responsive, the Tournament Crew Surf signals the dawn of a new era for surf casting.

IEW SURF 1	OURNAMEN	SURF AOD	_	_				
Model	Length	Line Wt (g)	Lure Wt (lb)	Guide	Action	Section		
1203	12*	50 - 150	20 - 50	6+1	Heavy	3		
1303	13*	50 - 150	20 - 50	6+1	Heavy	3		
1403	14*	50 - 150	20 - 50	6+1	Heavy	3		
1503	15*	50 - 150	20 - 50	8+1	Heavy	3		





ENGINEERED BY CHIMUSHIHOKU



Premium Quality Reel Seat



Premium Quality Guide



CREW SURF 1503

Premium Quality Foldable Guide



Anti-Slip Grip



BRAIDED LINE



HYPER SPIN BRAIDED LINE The ultimate fishing braided line technology, specially developed for

The special braided line coating reduces noise during casting and prevents damage to the rings.

The Xpro braided line is developed to reach long distance spots with more accuracy and able to take stronger strain compared with any other braided line of same diameter.

XPRO LINE		
Diameter (Inch)	Diameter (mm)	lbs
0.004	0.11	10
0.007	0.17	20
0.009	0.22	30
0.010	0.26	40
0.012	0.30	50
0.013	0.34	65
0.014	0.36	80
0.018	0.45	100

### MATERIAL FROM JAPAN ASSEMBLED IN TAIWAN その強さ、快適さ、を体感せよ。

Groundbreaking Japan technology and the first of its kind in the fishing industry, the TEAM SEAHAWK Hyperion 16-strand braided fishing line is an exceptionally strong, high-impact braid line with remarkable high tensile and knot strength. The exterior of the line is coated with a layer of protective lining to prevent discoloration and to maximize endurance. The skillfully engineered 16-strand of the Hyperion is made in a high-density weave which results in unparalleled abrasion resistance, ultra-fine and incomparable-smoothness, enabling more line to be loaded into a spool making the line perfect for offshore saltwater



取扱い注意事項

HYPERION

MULTI-COLOR

**JAPAN** 

applications including	deep sea naming.		10m	10m	10m 10m 10m
150m	300m	PE	lbs	kg	Diameter (mm)
•	•	2	20	11	0.12
•	_	3	30	16	0.15
•	• `	4	40	21	0.18
•	•	5	50	22	0.22
	•	6	60	28	0.32

PE2 (201b.) 150m 標準直径 0.12mm

Line for Extr.

FIRST 16 BRAID IN MALAYSIA

## LYCOSA

### DPLS 平行巻 高強力ナイロン




Material from Japan

Team Seahawk LYCOSA parallel winding DPLS fishing line is well-known for its high performance with a quality & price that can't be beat. This is an ultra superpower nylon fishing line that is soft and supple, knots really well, excellent strength and casts superbly well with no tangles. Suitable for depth fishing, jigging, and freshwater/saltwater fishing.



Fluorescent Maroon Yellow

LYCUSA LINE		
Japan Size	Diameter (mm)	lbs
2	0.23	8
2.5	0.26	10
3	0.285	12
4	0.33	15
5	0.37	20
6	0.405	25
7	0.435	30






TEAM SEAHAWK'S unique completely-handcrafted masterpiece; fully hand-painted and carved from durable wood from start to finish. As a result, our lure features a unique shape, weight, and swimming action of its own - the buoyancy of the wood combined with the weight distribution of the lure results in a realistic darting action that is hardly achieved by other fishing lures.

HOOK

SHARKY
DESIGNED BY CHIMUSHIHOKU

Today, in an industry over-saturated with mass-produced synthetic lures, the handcrafted wooden lure is a rate find and truly a sought-after gen, one to be added to your tackle collection.

SHARKT (JUMP FROG SERIES)				
Model	Lenght (mm)	Weight (g)		
Sharky	40	15		



## JUMP FROM

## SPLASH-BACK

## HANDCRAFTED IN THAILAND

TEAM SEAHAWK'S unique completely-handcrafted masterpiece; fully hand-painted and carved from durable wood from start to finish. As a result, our lure features a unique shape, weight, and swimming action of its own - the buoyancy of the wood combined with the weight distribution of the lure results in a realistic darting action that is hardly achieved by other fishing lures.

Today, in an industry over-saturated with mass-produced synthetic lures, the handcrafted wooden lure is a rate find and truly a sought-after gen, one to be added to your tackle collection.

SPLASH-BACK (JUMP FROG SERIES)		
Model	Lenght (mm)	Weight (g)
Splash Back	80	26





HOOK

AMAZON HUNTER (JUMP FROG SERIES)		
Model	Lenght (mm)	Weight (g)
Amazon Hunter	80	26







## JUMP FROM







TEAM SEAHAWK'S unique completely-handcrafted masterpiece; fully hand-painted and carved from durable wood from start to finish. As a result, our lure features a unique shape, weight, and swimming action of its own - the buoyancy of ther wood combined with the weight distribution of the lure result in a realistic darting action that is hardly achieved by other fishing lures.

Today, in an industry over-saturated with mass-produced synthetic lures, the handcrafted wooden lure is a rate find and truly a sought-after gen, one to be added to your tackle collection.

PARROT (JUMP	FROG SERIES)		
Model	Hook Size	Lenght (cm)	Weight (g)
Parrot	1/0	4.0	8















## DART FROG With Skirt





TEAM SEAHAWK'S unique completely-handcrafted masterpiece; fully hand-painted and molded from premium-quality rubber from start to finish. As a result, our rubber lures have thier own unique shape, weight, and swimming action, hardly achieved by other fishing lures.

Today, in an industry over-saturated with mass-produced synthetic lures, a pure handcrafted lure is a rate find and truly a sought-after gen - a must add to your tackle col-

DART FROG WITH SKIRT (JUMP FROG SERIES)			
Model	Hook Size	Lenght (cm)	Weight (g)
Dart Frog With Skirt	1/0	4	6







2 Sides UV LUMINOUS

SlowJig







- これらは、それが下がると「キャッチ」 キールと、中央重点治具です。 それに魅力的なスライドアクションを 与えます。すべてのレベルのためのや さしいデザインユーザー。
  - ルアーEXCLUSIVEはスロージギングス

# **EXCLUSIVEは** 水にそれを有効にするには、下部3分で ベシャリスト設計 - 2サイドUVルミナス

ャリスト設計

#### 2 Sides UV LUMINOUS



A SLOW JIG LU	RES		
Model	Hook Size	Lenght (cm)	Weight (g)
141			90, 140, 170
143			80, 100, 160

- ホログラム仕上げは、もっとも少ない 光量を突く。

- ルアーEXCLUSIVEはスロージギングス ペシャリスト設計

- 2サイドUVルミナス

JIG-MEISTER









SKA DEEP ZERO (SLOW JIG LURES):			
Model	Hook Size	Lenght (cm)	Weight (g
MUSHA DEEP ZERO	+:	12.5	200
	- 8	13.5	250
	77	14.5	300



**TSFP 007** 

manufactured to be super light and extra tough. Weighing less than 52g (1.8oz) and built to last, our superlight pliers further go through an advanced surface coating using titanium for corrosion-resistance and maximum durability. The pliers easily and cleanly cut through braided and mono lines of any size and come equipped with crimper and ring splitter for rigging and spring loaded handles with safety lock function for comfortable easy one-handed operations.

#### Features:

- · Super lightweight at less than 52g (1.8oz)
- · Advanced surface coating using titanium for protection and maximum durability
- · Easily and cleanly cuts through braided and mono lines
- . Crimper and ring splitter (normal split ring for TSFP007, micro-split ring for TSFP008) for rigging
- · Spring-loaded handles with safety lock function for easy one-handed operations

ing Pliers (Tita)	A PARTY OF THE PROPERTY OF THE PARTY OF THE	CONTRACTOR OF THE PARTY OF THE
Model	Lenght (In)	Material
TSFP 007	5	Titanium Coated
TSFP 008	5	Titanium Coated









54 2021 Catalogue I www.seahawkfishing.com



## **MK-01 TOURNAMENT** GREASE FOR A STATE OF THE POPULATION OF THE POPU

## **SOFT GRADE**

TEAM SEAHAWK'S MK-01 Tournament Grease is a custom designed grease, made from special base stocks and unique additives. It is formulated to perform over a wide temperature range in applications where grease is the preferred lubricant. A lighter all round grease for all applications, new and old. Can be used on all drag types including carbontex.

#### SUPERIOR LUBRICANT CREATED FOR PREMIUM REELS







56 2021 Catalogue I www.seahawkfishing.com

Reel Bag (EZ # BC 101)





**APPARELS** 

HIGH MEMORY RETENTION High durable fabric easily stretches yet retains original shape even after constant wash-and-wear.




SEAMLESS LABEL Seamless design for a streamlined and non-obtrusive experience that feels great against the skin.



**DRIES IN 2 HOURS** Quick dry material dries in less than 2 hours. A perfect wash-and-wear for pros on-the-go!



BREATHABLE COMFORT Airy moisture-wicking fabric is more breathable than cotton for easy quick-dry to suit active pros and everyday anglers



HEIGHT (cm)

Size	A / Chest (cm)	B / Front (cm)	C / Sleeve (cm)
S	19	26	17
M	20	27	18
L	21	28	19
XL	22	29	20
XXL	23	30	31

A / Chest (cm)	B / Front (cm)	C / Sleeve (cm)
19	26	17
20	27	18
21	28	19
22	29	20
23	30	31
	19 20 21 22	19 26 20 27 21 28 22 29

#### LYCOSA JERSEY





LYCOSA JERSEY	
Size	Material
M, L, XL, XXL	Quick dry


### LYCOSA ARM SLEEVE







TEAM SEAHAWK'S Lycosa Frost-X cooling arm sleeve is lab-tested and certified with Ice-Skin Technology and UPF50 protection. Made with cutting-edge technology in Korea, it not only provides ample protection from the harmful rays of the sun but is also quick-drying, making it suitable for all sorts of outdoor activities. The extremely light breathable material effectively wicks moisture from the skin to keep the wearer dry and works with the surrounding air to create an immediate cooling sensation and comforting effect on the skin.







Made In Korea



LYCOSA ARM SLEEVE	
Size	Material
38cm ±2cm (Free Size)	Polyamide 88%, polyurethan 12%, UPF 50+, Block 98%, UVA/UVB Rays









Designed & Developed by Seahawk / Team Seahawk

Distributed by Head Office (Malaysia)



TCE SPORTS SDN. BHD. (313811-M)
150 & 150A, 1st Floor Beach Street, 10300 Penang, Malaysia.
email: info@tce-sports.com

TCE SPORTS Tel : +(604) 2638 700 (Hunting Line) Fax : +(604) 2619 730

Indonesia



#### PT. TCE SPORTS INDONESIA

Jalan Lautze Raya No.49, RT011 RW003, Karang Anyar-Sawah Besar, Jakarta Pusat, Jakarta 10740, Indonesia.

email: info.indo@tce-sports.com

TCE SPORTS Tel : +62 21 2247 3010

Team Seahawk Fishing 👩 teamseahawk.fishing 🕞 TeamSeahawkFishing





For More Info:

www.seahawkfishing.com

For More Info:

